


=> d que l14
L11 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE
L13 17 SEA FILE=REGISTRY SSS FUL L11
L14 4 SEA FILE=HCAPLUS ABB=ON PLU=ON L13


=> d l14 1-4 ibib ed abs hitstr hitind
YOU HAVE REQUESTED DATA FROM FILE 'HCAPLUS' - CONTINUE? (Y)/N:y

L14 ANSWER 1 OF 4 HCAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:1307141 HCAPLUS Full-text
DOCUMENT NUMBER: 144:265998
TITLE: Design and synthesis of iridium(III) azacrown complex: application as a highly sensitive metal cation phosphorescence sensor
AUTHOR(S): Ho, Mei-Lin; Hwang, Fu-Ming; Chen, Pei-Nung; Hu, Ya-Hui; Cheng, Yi-Ming; Chen, Kung-Shih; Lee, Gene-Hsiang; Chi, Yun; Chou, Pi-Tai
CORPORATE SOURCE: Department of Chemistry, National Taiwan University, Taipei, 106, Taiwan
SOURCE: Organic & Biomolecular Chemistry (2006), 4(1), 98-103
CODEN: OBCRAK; ISSN: 1477-0520
PUBLISHER: Royal Society of Chemistry
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 144:265998
ED Entered STN: 15 Dec 2005
AB A new metal cation probe 1 bearing a central Ir(III) element and 1-aza-15-crown-5-ether substituted pyridyl pyrazolate as the chelate was synthesized. The octahedral mol. structure of 1 was confirmed using single crystal x-ray diffraction analyses. Subsequent photophys. study showed yellow-green emission at .apprx.560 nm in both fluid solution and solid state at room temperature. Remarkable differentiation in spectral properties upon metal cation (e.g. Ca2+) complexation makes complex 1 a highly sensitive phosphorescence probe.
IT 877467-43-1P

(preparation and properties of)

RN 877467-43-1 HCAPLUS

CN Boron, diphenyl[13-[4-[5-(2-pyridinyl-kN)-1H-pyrazol-3-yl-kN1]phenyl]-1,4,7,10-tetraoxa-13-azacyclopentadecanato]-, (T-4)-
(CA INDEX NAME)



CC 79-3 (Inorganic Analytical Chemistry)

IT 877467-42-0P 877467-43-1P

(preparation and properties of)

REFERENCE COUNT: 46 THERE ARE 46 CITED REFERENCES AVAILABLE FOR
THIS RECORD. ALL CITATIONS AVAILABLE IN THE
RE FORMAT

L14 ANSWER 2 OF 4 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:803045 HCAPLUS Full-text

DOCUMENT NUMBER: 141:322273

TITLE: Boron complexes and their preparation and
electroluminescent devices employing them
INVENTOR(S): Kathirgamanathan, Poopathy; Kirkham, Matthew
Samuel; Lay, Alexander Kit; Ganeshamurugan,
Subramaniam; Paramaswara, Gnanamoly; Kumaraverl,
Muttulingam; Partheepan, Arumugam; Selvaranjan,
Selvadurai; Antipan-lara, Juan; Price, Richard;
Surendrakumar, Sivagnanasumdrum

PATENT ASSIGNEE(S): Elam-T Limited, UK

SOURCE: PCT Int. Appl., 59 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004084325	A1	20040930	WO 2004-GB1079	20040312
<p>W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW</p> <p>RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG</p>				

EP 1620905	A1	20060201	EP 2004-720060	20040312
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC,				
PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
JP 2006520772	T	20060914	JP 2006-505961	20040312
US 2007042219	A1	20070222	US 2005-549430	20050915
PRIORITY APPLN. INFO.:			GB 2003-6097	A 20030315
			WO 2004-GB1079	W 20040312

OTHER SOURCE(S): MARPAT 141:322273
 ED Entered STN: 01 Oct 2004
 GI



I


AB Boron complexes are described by the general formula I (Ar = (un)substituted monocyclic or polycyclic heteroaryl with a ring N for forming a coordination bond to B as indicated and optionally ≥ 1 addnl. ring N subject to the proviso that Ns do not occur in adjacent positions; X and Z = C or N; Y = C or optionally N if neither of X and Z = N; the substituents if present being (un)substituted hydrocarbyl, (un)substituted hydrocarbyloxy, fluorocarbon, halo, nitrile, aminoalkylamino, dialkylamino, or thiophenyl; Ar2 = monocyclic or polycyclic aryl or heteroaryl substituted with ≥ 0 substituents selected from (un)substituted hydrocarbyl, (un)substituted hydrocarbyloxy, fluorocarbon, halo, nitrile, amino, alkylamino, dialkylamino or thiophenyl; R1 = H, (un)substituted hydrocarbyl, halohydrocarbyl or halo; and R2 and R3 = independently selected alkyl, cycloalkyl, cycloalkylalkyl, haloalkyl, halo or monocyclic or polycyclic aryl, heteroaryl, aralkyl, or heteroaralkyl optionally substituted with ≥ 1 alkyl, cycloalkyl, cycloalkylalkyl, haloalkyl, aryl, aralkyl, alkoxy, aryloxy, halo, nitrile, amino, alkylamino, or dialkylamino group). Methods of preparing the compds. are described which entail condensing a diketone with hydrazine to give a pyrazole and esterifying the pyrazole with an acid described by the general formula R2R3BOH or an anhydride described by the general formula R2R3BOBR3R2. Electroluminescent devices employing the compds. are also described.

IT 767340-12-1 767340-43-2 767340-44-3
 767340-45-4 767340-46-5 767340-47-6
 767340-48-7 767340-49-8

(boron complexes and their preparation and electroluminescent devices employing them)


RN 767340-42-1 HCAPLUS

CN Boron, diphenyl[4-[5-(2-pyridinyl- κ N)-1H-pyrazol-3-yl]- κ N]benzotrinitrato]-, (T-4)- (CA INDEX NAME)




RN 767340-43-2 HCAPLUS

CN Boron, bis(4-methylphenyl) [2-(5-phenyl-1H-pyrazol-3-yl)- κ N2]pyridinato- κ N]-, (T-4)- (CA INDEX NAME)




RN 767340-44-3 HCAPLUS

CN Boron, bis(4-methylphenyl) [2-[5-(2-naphthalenyl)-1H-pyrazol-3-yl]- κ N2]pyridinato- κ N]-, (T-4)- (CA INDEX NAME)




RN 767340-45-4 HCAPLUS

CN Boron, [2-[5-(2-naphthalenyl)-1H-pyrazol-3-yl]- κ N2]pyridinato- κ N]diphenyl-, (T-4)- (CA INDEX NAME)




RN 767340-46-5 HCAPLUS

CN Boron, [2-[5-(4-methylphenyl)-1H-pyrazol-3-yl-κN2]pyridinato-κN]diphenyl-, (T-4)- (CA INDEX NAME)




RN 767340-47-6 HCAPLUS

CN Boron, bis(4-methoxyphenyl)[2-[5-(4-methylphenyl)-1H-pyrazol-3-yl-κN2]pyridinato-κN]-, (T-4)- (CA INDEX NAME)




RN 767340-48-7 HCAPLUS

CN Boron, [2-[5-(4-fluorophenyl)-1H-pyrazol-3-yl-κN2]pyridinato-κN]bis(4-methylphenyl)-, (T-4)- (CA INDEX NAME)



RN 767340-49-8 HCAPLUS


CN Boron, bis(4-methylphenyl)[4-[5-(2-pyridinyl-κN)-1H-pyrazol-3-yl-κN1]benzonitrilato]-, (T-4)- (CA INDEX NAME)



IT 671791-16-5P 767340-41-0P
(boron complexes and their preparation and electroluminescent devices employing them)


RN 671791-16-5 HCAPLUS

CN Boron, diphenyl[2-(3-phenyl-1H-pyrazol-5-yl-κN1)pyridinato-κN]-, (T-4)- (CA INDEX NAME)



RN 767340-41-0 HCAPLUS

CN Boron, [2-[5-(4-fluorophenyl)-1H-pyrazol-3-yl-κN2]pyridinato-κN]diphenyl-, (T-4)- (CA INDEX NAME)



IC ICM H01L051-30
ICS C09K011-06; H05B033-14; C07F005-02
CC 73-5 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
Section cross-reference(s): 29, 76
IT 767340-42-1 767340-43-2 767340-44-3
767340-45-4 767340-46-5 767340-47-6
767340-48-7 767340-49-8
(boron complexes and their preparation and electroluminescent devices employing them)
IT 571791-16-5F 767340-41-0P
(boron complexes and their preparation and electroluminescent devices employing them)
REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 3 OF 4 HCAPLUS COPYRIGHT 2007 ACS ON STN
ACCESSION NUMBER: 2003:832625 HCAPLUS Full-text
DOCUMENT NUMBER: 140:34915
TITLE:

Synthesis and Characterization of Metal Complexes Possessing the 5-(2-Pyridyl) Pyrazolate Ligands: The Observation of Remarkable Osmium-Induced Blue Phosphorescence in Solution at Room Temperature
Wu, Pei-Chi; Yu, Jen-Kan; Song, Yi-Hwa; Chi, Yun; Chou, Pi-Tai; Peng, Shie-Ming; Lee, Gene-Hsiang
Department of Chemistry, National Tsing Hua University, Hsinchu, Taiwan, 300, Peop. Rep. China
Organometallics (2003), 22(24), 4938-4946
CODEN: ORGN7; ISSN: 0276-7333

AUTHOR(S):
CORPORATE SOURCE:
SOURCE:
PUBLISHER:
DOCUMENT TYPE:
LANGUAGE:
OTHER SOURCE(S):
ED Entered STN: 24 Oct 2003

AB A total of three distinctive main group and transition metal complexes containing the 2-pyridyl pyrazolate (pypz) ligand were prepared, namely, [B(C6F5)2(pypz)] (1), [Ru(CO)2(pypz)2] (2), and [Os(CO)2(pypz)2] (3), where (pypz)H = 3-trifluoromethyl-5-(2-pyridyl)pyrazole. Single-crystal x-ray diffraction studies were carried out on complexes 2 and 3, revealing octahedral coordination geometry with two CO ligands located at cis dispositions. While the pypz ligand arrangement for complex 2 is in cis-(Npy,Npy) and trans-(Npz,Npz), complex 3 reveals a different configuration, cis-(Npz,Npz) and trans-(Npy,Npy) (Npy for pyridine-N and Npz for pyrazolate donor sites). Similar to that of the in-situ-prepared pypz anion, the boron complex [B(C6F5)2(pypz)] (1) exhibits a strong emission centered at 380 nm, which is unambiguously assigned to fluorescence derived from the $S1(\pi\pi^*) \rightarrow S0$ transition. In contrast to the nonluminescent behavior for Ru complex 2, the


Os complex 3 displays unique, strong room-temperature phosphorescence, showing vibronic progressions at 430, 457, and 480 nm. The remarkable differences in photophys. properties were rationalized by a combination of π -electron accepting CO ligand, relative pypz orientation, and heavy-atom-enhanced spin-orbit coupling effects.

IT 634606-62-5P

(preparation and fluorescence)

RN 634606-62-5 HCAPLUS

CN Boron, bis(pentafluorophenyl)[2-[5-(trifluoromethyl)-1H-pyrazol-3-yl]pyridinato-kN]-, (T-4)- (9CI) (CA INDEX NAME)



CC 78-7 (Inorganic Chemicals and Reactions)

Section cross-reference(s): 29, 73, 74, 75

IT 634606-62-5P

(preparation and fluorescence)

REFERENCE COUNT: 51 THERE ARE 51 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 4 OF 4 HCAPLUS COPYRIGHT 2007 ACS ON STN

ACCESSION NUMBER: 2003:792131 HCAPLUS Full-text

DOCUMENT NUMBER: 140:253602

TITLE: Syntheses and remarkable photophysical properties of 5-(2-pyridyl) pyrazolate boron complexes; photoinduced electron transfer

AUTHOR(S): Cheng, Chung-Chih; Yu, Wei-Shan; Chou, Pi-Tai; Peng, Shie-Ming; Lee, Gene-Hsiang; Wu, Pei-Chi; Song, Yi-Hwa; Chi, Yun

CORPORATE SOURCE: Department of Chemistry, Fu-Jen Catholic University, Shin Chuang, Taiwan

SOURCE: Chemical Communications (Cambridge, United Kingdom) (2003), (20), 2628-2629
CODEN: CHCOFS; ISSN: 1359-7345

PUBLISHER: Royal Society of Chemistry


DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 140:253602

ED Entered STN: 10 Oct 2003

GI




AB A new series of pyridyl pyrazolate boron complexes I (R1 = CF3, C2F5, Ph, t-Bu, R = H; R1 = CF3, R = Me) have been synthesized via reaction of 2'-(2-pyridyl)pyrazoles with BPh3 in THF. I exhibit remarkable dual fluorescence properties due to the photoinduced electron transfer reaction.

IT 671791-13-2P

(crystal structure; syntheses, photophys. properties, and photoinduced electron transfer of pyridyl pyrazolate boron complexes)

RN 671791-13-2 HCAPLUS

CN Boron, diphenyl[2-[3-(trifluoromethyl)-1H-pyrazol-5-yl-kN1]pyridinato-kN]-, (T-4)- (CA INDEX NAME)




IT 671791-14-3P 671791-15-4P 671791-16-5P

671791-17-6P 671791-19-8P

(syntheses, photophys. properties, and photoinduced electron transfer of pyridyl pyrazolate boron complexes)


RN 671791-14-3 HCAPLUS

CN Boron, [4-methyl-2-[3-(trifluoromethyl)-1H-pyrazol-5-yl-kN1]pyridinato-kN]diphenyl-, (T-4)- (CA INDEX NAME)




RN 671791-15-4 HCAPLUS

CN Boron, [2-[3-(pentafluoroethyl)-1H-pyrazol-5-yl-κN1]pyridinato-κN]diphenyl-, (T-4)- (9CI) (CA INDEX NAME)




RN 671791-16-5 HCAPLUS

CN Boron, diphenyl[2-(3-phenyl-1H-pyrazol-5-yl-κN1)pyridinato-κN]-, (T-4)- (CA INDEX NAME)




RN 671791-17-6 HCAPLUS

CN Boron, [2-[3-(1,1-dimethylethyl)-1H-pyrazol-5-yl-κN1]pyridinato-κN]diphenyl-, (T-4)- (CA INDEX NAME)



RN 671791-19-8 HCAPLUS

CN Boron, bis(pentafluorophenyl)[2-[3-(trifluoromethyl)-1H-pyrazol-5-yl-κN1]pyridinato-κN]-, (T-4)- (9CI) (CA INDEX NAME)



CC 29-4 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 22, 75

IT 671791-13-2P

(crystal structure; syntheses, photophys. properties, and photoinduced electron transfer of pyridyl pyrazolate boron complexes)


IT 671791-14-3P 671791-15-4P 671791-16-5P

671791-17-6P 671791-19-8P

(syntheses, photophys. properties, and photoinduced electron transfer of pyridyl pyrazolate boron complexes)

REFERENCE COUNT: 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d que 115
L11 STR




NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE
L13 17 SEA FILE=REGISTRY SSS FUL L11
L15 0 SEA FILE=CAOLD ABB=ON PLU=ON L13

=> d que 117
L11 STR




NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE
L13 17 SEA FILE=REGISTRY SSS FUL L11
L17 0 SEA FILE=BEILSTEIN ABB=ON PLU=ON L13

=> d que 120
L11 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ELEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE
L13 17 SEA FILE=REGISTRY SSS FUL L11
L14 4 SEA FILE=HCAPLUS ABB=ON PLU=ON L13
L19 2 SEA FILE=MARPAT SSS FUL L11
L20 1 SEA FILE=MARPAT ABB=ON PLU=ON L19 NOT L14

=> d 120 ibib abs qhit

L20 ANSWER 1 OF 1 MARPAT COPYRIGHT 2007 ACS on SIN
ACCESSION NUMBER: 144:222226 MARPAT Full-text
TITLE: Electroluminescent materials and devices based on
aromatic substituted anthracene dopants mixed with a
host material
INVENTOR(S): Kathirgamanathan, Poopathy
PATENT ASSIGNEE(S): Elam-T Limited, UK
SOURCE: PCT Int. Appl., 46 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006016176	A1	20060216	WO 2005-GB3173	20050812
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA,				
CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,				
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM,				
KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN,				
MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU,				
SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA,				
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU,				
IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR,				
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,				
TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,				

ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
 EP 1786885 A1 20070523 EP 2005-797974 20050812
 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU,
 IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR
 US 2007252108 A1 20071101 US 2007-659919 20070210
 KR 2007042574 A 20070423 KR 2007-705636 20070309
 GB 2004-17927 20040812
 WO 2005-GB3173 20050812

PRIORITY APPLN. INFO.:

AB Electroluminescent compns. are described which comprise a dopant which is an aromatic substituted anthracene compound mixed with a host material. Electroluminescent devices employing the electroluminescent compns. are also discussed.

MSTR 4



Patent location: claim 10
 Note: additional ring formation also claimed

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his nofile

(FILE 'HOME' ENTERED AT 10:50:22 ON 20 DEC 2007)

FILE 'HCAPLUS' ENTERED AT 10:50:28 ON 20 DEC 2007

L1 1 SEA ABB=ON PLU=ON US20070042219/PN
SEL RN

FILE 'REGISTRY' ENTERED AT 10:50:41 ON 20 DEC 2007

L2 17 SEA ABB=ON PLU=ON (10472-94-3/BI OR 15395-62-7/BI OR
2524-52-9/BI OR 302-01-2/BI OR 403-42-9/BI OR 4426-21-5/BI
OR 671791-16-5/BI OR 767340-41-0/BI OR 767340-42-1/BI OR
767340-43-2/BI OR 767340-44-3/BI OR 767340-45-4/BI OR
767340-46-5/BI OR 767340-47-6/BI OR 767340-48-7/BI OR
767340-49-8/BI OR 98-86-2/BI)
L3 10 SEA ABB=ON PLU=ON L2 AND 1/B
L4 STR
L5 0 SEA SSS SAM L4

FILE 'HCAPLUS' ENTERED AT 10:55:29 ON 20 DEC 2007

L7 387 SEA ABB=ON PLU=ON DH IS

FILE 'REGISTRY' ENTERED AT 10:55:52 ON 20 DEC 2007

L8 STR L4
L9 0 SEA SSS SAM L8
L10 17 SEA ABB=ON PLU=ON 1341.1442/RID
L11 STR L8
L12 1 SEA SSS SAM L11
L13 17 SEA SSS FUL L11
SAV L13 GAR430/A

FILE 'HCAPLUS' ENTERED AT 10:58:30 ON 20 DEC 2007

L14 4 SEA ABB=ON PLU=ON L13

FILE 'CAOLD' ENTERED AT 10:58:44 ON 20 DEC 2007

L15 0 SEA ABB=ON PLU=ON L13

FILE 'BEILSTEIN' ENTERED AT 10:58:54 ON 20 DEC 2007

L16 0 SEA ABB=ON PLU=ON L13
L17 0 SEA ABB=ON PLU=ON L13

FILE 'MARPAT' ENTERED AT 10:59:11 ON 20 DEC 2007

L18 0 SEA SSS SAM L11
L19 2 SEA SSS FUL L11
L20 1 SEA ABB=ON PLU=ON L19 NOT